28

C-O-N-F-I-D-E-N-T-I-A-L

CIA/RR CB-62-16

CURRENT SUPPORT BRIEF

GAS CONSUMPTION TO ACHIEVE SUBSTANTIAL SAVINGS FOR USSR THROUGH 1980

OFFICE OF RESEARCH AND REPORTS

CENTRAL INTELLIGENCE AGENCY

This report represents the immediate views of the originating intelligence components of the Office of Research and Reports. Comments are solicited.

ILLEGIB



W - A - R - N - I - N - G

This document contains information affecting the national defense of the United States, within the meaning of the espionage laws, Title 18 USC, Sections 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

C-O-N-F-I-D-E-N-T-I-A-L

25X1C

GAS CONSUMPTION TO ACHIEVE SUBSTANTIAL SAVINGS FOR USSR THROUGH 1980

The general plan for development of the gas industry during 1961-1980 was recently discussed by the Chief of the USSR Main Administration for the Gas Industry in more detail than is available for the other fuels industries. 1/ Production of gas is expected to increase from about 60 billion cubic meters (bcm) in 1961, to 150 bcm in 1965, 310-325 bcm in 1970, and 680-720 in 1980. The share of gas in the total production of primary energy is to increase from less than 10 percent in 1961 to about 30 percent in 1980. Exploratory drilling is to increase from about 12 million meters during 1961-1965 to approximately 30 million meters in 1976-1980 to provide for an anticipated sixfold expansion of proved reserves. The plan also calls for the construction of 150-170 thousand kilometers (km) of truck transmission line, including 40-45 thousand km of line 40-56 inches in diameter. It is anticipated that the increased investment required to accomplish the planned expansion of the industry will be well justified by the substantial savings to the economy resulting from substitution of natural gas for more expensive forms of energy.

During the two decades substitution of natural gas for other fuels, primarily coal, is to result in a cumulative saving of 63.9 billion (new) rubles—about 4 times gross industrial investment in the USSR in 1961. The expected saving, (see Table 1) is to result primarily from reduced operating expenses accuring from the lower delivered cost of natural gas. The Soviets also expect a multitude of technological advances to contribute to cost reduction in the industry and are also planning to gradually lower the ratio of proved reserves to annual production which will permit further economies. (see Table 4) The differential between the cost of gas and coal apparently is expected to remain substantial even though declines in drilling efficiency and the lack of appreciable gains in transmission efficiency after 1965—probably the result of increased average transmission lengths—will tend to raise the costs of gas. (see Table 2,3)

The 1970 and 1980 production goals are probably based on the assumption that the 1965 target will be met. If, as now seems almost certain, the 1965 plan is not fulfilled, even the ambitious increments planned for 1970 and 1980 will have to be overfulfilled to attain the levels of production envisaged for these years.

Nevertheless, an underfulfillment of production plans does not of itself mean that the expected economies will not be attained. The actual saving to be achieved will be affected by the comparative extent to which plans for reductions in the delivered costs in the coal and gas industries are fulfilled. Furthermore, the Soviet calculations may actually understate the contribution to Soviet national economic development resulting from substitution of natural gas for other fuels because the coal industry has a relatively lower amortization rate compared with the gas industry.

19 February 1962

CIA/RR CB-62-16

I-A-L

Page 2

25X1C

C-O-N-F-I-D-E-N-T-I-A-L

Table 1

Economies Anticipated from Use of Natural Gas in the USSR, 1961-1980

Character of Saving	Billion	Rubles
Direct a/Capital Saving Indirect \underline{a} /Capital Saving	$\begin{array}{c} -2.7 \\ 7.1 \end{array}$	
Total Capital Saving		4.4
Direct \underline{a} / Operating Expense Saving Indirect \underline{a} / Operating Expense Saving	$\frac{47.0}{12.5}$	
Total Operating Expense Saving		<u>59.5</u>
Total Saving		63.9

a. Direct savings are connected with extraction, processing, and delivery of fuel. Indirect savings are those resulting from reduced capital and operating costs of fuel consumers largely because of increased thermal efficiency and less extensive requirements for personnel and equipment.

Table 2 $\frac{ \hbox{Planned Effectiveness of Drilling for Non-Associated Gas } \underline{a/in the USSR, 1961-1980}$

Period	Planned Exploratory Drilling b/ (Thousand Meters)	Planned Additions to Proved Reserves (bcm)	Planned Effectiveness of Exploratory Drilling (Million Cubic Meters Per Meter Drilled)
· · · · · · · · · · · · · · · · · · ·			
1961-1965	11,820	2,600	226
1966-1970	19,100	4,100	220
1971-1975	25,750	5,047	200
1976-1980	29,900	5,490	187
1961-1980	86,570	17,237	204

a. Natural gas is produced in association with or independently of crude oil. During 1961-1980 non-associated gas is expected to account for about 90 percent of total production of natural gas.

25X1C

19 February 1962

CIA/RR CB-62-16

Page 3

b. During 1961-1965 320,000 meters of drilling will be directed toward finding suitable underground storage. In each of the following five year periods 500,000 meters will be drilled in search of storage.

C-O-N-F-I-D-E-N-T-I-A-L

Table 3

$\frac{\text{Soviet Gas Transmission Net Efficiency}}{\text{In 1960, And Plan for 1965-1980}}$

Million Cubic Meters per km of Transmission Net

Year	Efficiency
1960	2.1
1965	3.8
1970	2.8 - 3.3
1980	3.2 - 3.8

Table 4

Planned Relationship Between Proved Reserves and Extraction of Non-Associated Natural Gas in the USSR, 1961-1980

Billion Cubic Meters a/

Period	Reserves as of 1 Jan First Year of Period	Additions to Reserves	Extraction	Annual Extraction Final Year of Period	Ratio of Reserves to Extraction
1961-1965 1966-1970 1971-1975 1976-1980 1981	4,185 7,187	2,600 4,100 5,047 5,490 N.A.	450 1,098 1,093 2,833 N.A.	132 280 452 646 N.A.	32:1 26:1 23:1 20:1

a. The units are bom except for the final column. A reserve/extraction ratio may be regarded as a measure of the number of years required for exhaustion of reserves.

25X1C

CIA/RR CB-62-16

Page 4

19 February 1962

C-O-N-F-I-D-E-N-T-I-A-L

Analyst:

25X1A

Sources:

1. <u>Ekonomicheskaya Gazeta</u>, No. 17, 27 Nov 61, pp. 6-8. U. 2. <u>Planovoye khozyaistvo</u>, No. 12, 1961, p. 89. U.



19 February 1962

CIA/RR CB-62-16

Page 5

Next 1 Page(s) In Document Exempt